

— 限用物質含有情況報告 —

設備名稱：無熔線斷路器
Equipment name

型號（型式）：S-600S 3P 500,600A 60Hz
220V Icu=43KA Ics=22kA 380V Icu=22KA Ics=11kA

系列型式：

單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
塑類本體	○	○	○	○	○	○
外部接點	○	○	○	○	○	○
跳脫彈簧	○	○	○	○	○	○
內部金屬導體	○	○	○	○	○	○
消弧室	○	○	○	○	○	○
螺絲組件	○	○	○	○	○	○

備考1. “超出0.1 wt %” 及 “超出0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準值

Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition

備考2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值

Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence

備考3. “—” 係指該項限用物質為排除項目

Note 3: The “—” indicates that the restricted substance corresponds to the exclusion



— 限用物質含有情況報告 —

設備名稱：無熔線斷路器
Equipment name

型號（型式）：S-400A 3P 250,300,350,400A
50/60Hz, 220V Icu=50kA Ics=13kA, 380V Icu=25kA Ics=7kA

系列型式：

單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
塑類本體	○	○	○	○	○	○
外部接點	○	○	○	○	○	○
跳脫彈簧	○	○	○	○	○	○
內部金屬導體	○	○	○	○	○	○
消弧室	○	○	○	○	○	○
螺絲組件	○	○	○	○	○	○

備考1. “超出0.1 wt %” 及 “超出0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準值

Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition

備考2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值

Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence


備考3. “—” 係指該項限用物質為排除項目

Note 3: The “—” indicates that the restricted substance corresponds to the exemption



— 限用物質含有情況報告 —

設備名稱：無熔線斷路器 Equipment name		型號（型式）：F-100RB 2P 15,20,30,40,50,60,75,100A 50/60Hz 220V Icu=50KA Ics=25kA , 380V Icu=25KA Ics=13kA				
系列型式：F-100RB 3P 15,20,30,40,50,60,75,100A 50/60Hz 220V Icu=50KA Ics=25kA 380V Icu=25KA Ics=13kA						
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
塑類本體	○	○	○	○	○	○
外部接點	○	○	○	○	○	○
跳脫彈簧	○	○	○	○	○	○
內部金屬導體	○	○	○	○	○	○
消弧室	○	○	○	○	○	○
螺絲組件	○	○	○	○	○	○
備考1. “超出0.1 wt %” 及 “超出0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準值 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition						
備考2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence						
備考3. “—” 係指該項限用物質為排除項目 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption						



— 限用物質含有情況報告 —

設備名稱：無熔線斷路器
Equipment name

型號（型式）： F-60RB 3P 15,20,30,40,50,60A
50/60Hz 220V Icu=25KA Ics=13kA , 380V Icu=10KA Ics=5kA

系列型式：

單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
塑類本體	○	○	○	○	○	○
外部接點	○	○	○	○	○	○
跳脫彈簧	○	○	○	○	○	○
內部金屬導體	○	○	○	○	○	○
消弧室	○	○	○	○	○	○
螺絲組件	○	○	○	○	○	○

備考1. “超出0.1 wt %” 及 “超出0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準值

Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition

備考2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值

Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence

備考3. “—” 係指該項限用物質為排除項目

Note 3 : The “—” indicates that the restricted substance corresponds to the exemption



— 限用物質含有情況報告 —

設備名稱：無熔線斷路器 Equipment name		型號（型式）：S-100SB 3P 60,75,100A 60Hz 220V Icu=30kA Ics=8kA 380V Icu=10kA Ics=3kA				
系列型式：						
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
塑類本體	○	○	○	○	○	○
外部接點	○	○	○	○	○	○
跳脫彈簧	○	○	○	○	○	○
內部金屬導體	○	○	○	○	○	○
消弧室	○	○	○	○	○	○
螺絲組件	○	○	○	○	○	○
備考1. “超出0.1 wt %” 及 “超出0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準值 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition 備考2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence 備考3. “—” 係指該項限用物質為排除項目 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption						



— 限用物質含有情況報告 —

設備名稱：無熔線斷路器 Equipment name		型號（型式）：S-50SB 2P 3,5,10,15,20,30,40,50A 50/60Hz 220V Icu=5KA Ics=3kA, 380V Icu=2.5KA Ics=1kA				
系列型式: S-50SB 3P 3,5,10,15,20,30,40,50A 50/60Hz 220V Icu=5KA Ics=3kA, 380V Icu=2.5KA Ics=1kA						
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
塑類本體	○	○	○	○	○	○
外部接點	○	○	○	○	○	○
跳脫彈簧	○	○	○	○	○	○
內部金屬導體	○	○	○	○	○	○
消弧室	○	○	○	○	○	○
螺絲組件	○	○	○	○	○	○
備考1. “超出0.1 wt %” 及 “超出0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準值 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition						
備考2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence						
備考3. “—” 係指該項限用物質為排除項目 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption						



— 限用物質含有情況報告 —

設備名稱：無熔線斷路器 Equipment name		型號（型式）：S-100EB 2P 60,75,100A 50/60Hz 220V Icu=10kA Ics=3kA				
系列型式：S-100EB 3P 60,75,100A 50/60Hz 220V Icu=10kA Ics=3kA						
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
塑類本體	○	○	○	○	○	○
外部接點	○	○	○	○	○	○
跳脫彈簧	○	○	○	○	○	○
內部金屬導體	○	○	○	○	○	○
消弧室	○	○	○	○	○	○
螺絲組件	○	○	○	○	○	○
備考1. “超出0.1 wt %” 及 “超出0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準值 Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition						
備考2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值 Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence						
備考3. “—” 係指該項限用物質為排除項目 Note 3 : The “—” indicates that the restricted substance corresponds to the exemption						



— 限用物質含有情況報告 —

設備名稱：無熔線斷路器
Equipment name

型號（型式）：F-30FB 3P 3,5,10,15,20,30A 60Hz
220V Icu=5kA Ics=3kA, 380V Icu=2.5kA Ics=1kA

系列型式：

單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
塑類本體	○	○	○	○	○	○
外部接點	○	○	○	○	○	○
跳脫彈簧	○	○	○	○	○	○
內部金屬導體	○	○	○	○	○	○
消弧室	○	○	○	○	○	○
螺絲組件	○	○	○	○	○	○

備考1. “超出0.1 wt %”及“超出0.01 wt %”係指限用物質之百分比含量超出百分比含量基準值

Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition

備考2. “○”係指該項限用物質之百分比含量未超出百分比含量基準值

Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence

備考3. “—”係指該項限用物質為排除項目

Note 3: The “—” indicates that the restricted substance corresponds to the exemption



— 限用物質含有情況報告 —

設備名稱：無熔線斷路器		型號（型式）：F-60RB 2P 15,20,30,40,50,60A				
Equipment name		220V Icu=25kA Ics=13kA , 380V Icu=10kA Ics=5kA				
系列型式：						
單元 Unit	限用物質及其化學符號					
	Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
塑類本體	○	○	○	○	○	○
外部接點	○	○	○	○	○	○
跳脫彈簧	○	○	○	○	○	○
內部金屬導體	○	○	○	○	○	○
消弧室	○	○	○	○	○	○
螺絲組件	○	○	○	○	○	○
備考1. “超出0.1 wt %” 及 “超出0.01 wt %” 係指限用物質之百分比含量超出百分比含量基準值						
Note 1 : “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition						
備考2. “○” 係指該項限用物質之百分比含量未超出百分比含量基準值						
Note 2 : “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence						
備考3. “—” 係指該項限用物質為排除項目						
Note 3 : The “—” indicates that the restricted substance corresponds to the exemption						

